







1-BEDROOM

TYPE (1)a1

45 sqm | 484 sqft
 Units: #02-16
 #02-31
 #02-39



LEGEND


- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M



PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




1-BEDROOM






TYPE (1)b1

48 sqm | 517 sqft

Units: #02-05
#02-24
#02-56




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




2-BEDROOM

TYPE (2)a

58 sqm | 624 sqft


- Units: #03-13 to #16-13
 #03-20 to #16-20*
 #03-21 to #16-21
 #03-27 to #16-27*
 #03-28 to #16-28
 #03-35 to #16-35*
 #03-36 to #16-36
 #03-43 to #16-43*



TYPE (2)a1






58 sqm | 624 sqft

- Units: #02-13
 #02-20*
 #02-21
 #02-27*
 #02-28
 #02-35*
 #02-36
 #02-43*



Note: *Mirror Image


LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




2-BEDROOM

TYPE (2)b

61 sqm | 657 sqft


Units: #03-01 to #16-01
#03-08 to #16-08*



Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL




PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

2-BEDROOM

TYPE (2)c

62 sqm | 667 sqft

- Units: #03-16 to #16-16
 #03-17 to #16-17*
 #03-31 to #16-31
 #03-32 to #16-32*
 #03-39 to #16-39
 #03-40 to #16-40*




Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
 THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




2-BEDROOM






TYPE (2)c1

62 sqm | 667 sqft

Units: #02-17
#02-32
#02-40




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.



2-BEDROOM

TYPE (2)d

70 sqm | 753 sqft


- Units: #03-04 to #16-04
 #03-05 to #16-05*
 #03-24 to #16-24*
 #03-52 to #16-52*
 #03-55 to #16-55
 #03-56 to #16-56*
 #03-59 to #16-59



TYPE (2)d1

70 sqm | 753 sqft

- Units: #02-04
 #02-52*
 #02-55
 #02-59




Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
 THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




3-BEDROOM

TYPE (3)a

74 sqm | 797 sqft


Units: #03-23 to #16-23








TYPE (3)a1


74 sqm | 797 sqft

Unit: #02-23



LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL



0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.


THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

3-BEDROOM

TYPE (3)b

76 sqm | 818 sqft

Unit: #04-07 to #16-07




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.



3-BEDROOM

TYPE (3)c

77 sqm | 829 sqft

- Units: #04-02 to #16-02
 #03-19 to #09-19*
 #12-19 to #16-19*
 #04-34 to #16-34*
 #04-42 to #16-42*
 #03-54 to #16-54*




Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
 THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




3-BEDROOM






TYPE (3)c1

77 sqm | 829 sqft

Units: #02-19
#03-42
#02-54




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W / D CLOTHES WASHER CUM DRYER
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING); WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.



3-BEDROOM

TYPE (3)d

84 sqm | 904 sqft


- Units: #03-15 to #16-15
 #03-22 to #16-22*
 #03-26 to #09-26
 #12-26 to #16-26
 #03-30 to #16-30
 #03-37 to #16-37*
 #03-57 to #16-57*



TYPE (3)d1

84 sqm | 904 sqft

- Units: #02-15
 #02-22*
 #02-26
 #02-30
 #02-37*
 #02-57*



Note: *Mirror Image


LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.



3-BEDROOM

TYPE (3)e

90 sqm | 969 sqft


Unit: #03-12 to #16-12



TYPE (3)e1

90sqm | 969 sqft

Unit: #02-12




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.



3-BEDROOM

TYPE (3)f

91 sqm | 980 sqft


Unit: #03-14 to #16-14



TYPE (3)f1


91 sqm | 980 sqft

Unit: #02-14



LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL



0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.


THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

3-BEDROOM

TYPE (3)g

92 sqm | 990sqft


Unit: #03-25 to #16-25



TYPE (3)g1

92 sqm | 990sqft

Unit: #02-25




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




3-BEDROOM

TYPE (3)h

94 sqm | 1012 sqft


Units: #03-11 to #09-11
#12-11 to #16-11



TYPE (3)h1

94 sqm | 1012 sqft

Unit: #02-11




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




3-BEDROOM

TYPE (3)i

94 sqm | 1012 sqft


Unit: #03-09 to #16-09



TYPE (3)i1

94 sqm | 1012 sqft

Unit: #02-09



LEGEND


- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M



PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




3-BEDROOM

TYPE (3)j

95 sqm | 1023 sqft


Unit: #03-10 to #16-10



TYPE (3)j1

95 sqm | 1023 sqft


Unit: #02-10



LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M



PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

3-BEDROOM


TYPE (3)k

96 sqm | 1033 sqft

Units: #03-18 to #16-18
 #03-33 to #16-33
 #03-38 to #16-38*
 #03-41 to #16-41
 #03-58 to #16-58*

Applicable to
 #03-33 to #16-33
 #03-38 to #16-38*
 #03-41 to #16-41
 #03-58 to #16-58*


Applicable to
 #03-18 to #16-18



TYPE (3)k1

96 sqm | 1033 sqft


Units: #02-18
 #02-33
 #02-38*
 #02-41
 #02-58*



Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL



0 1 2 3 4 5M


PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
 THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

4-BEDROOM

TYPE (4)a

105 sqm | 1130 sqft

Unit: #03-44 to #16-44




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AC AIRCON CONDENSER
- Services Void Space (NON-STRATA AREA)
- Rainwater Downpipe Shaft Space (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)b

105 sqm | 1130 sqft

Unit: #03-47 to #16-47




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- AC AIRCON CONDENSER
- Services Void Space (NON-STRATA AREA)
- Rainwater Downpipe Shaft Space (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)c

105 sqm | 1130 sqft


Units: #03-46 to #16-46
#03-49 to #16-49*



TYPE (4)c1

105 sqm | 1130sqft

Units: #02-46
#02-49*



Note: *Mirror Image


LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING); WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)d

106 sqm | 1141 sqft


Units: #03-03 to #16-03
#03-29 to #16-29*



TYPE (4)d1

106 sqm | 1141 sqft

Units: #02-03
#02-29*




Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)e

117 sqm | 1259 sqft


Units: #03-06 to #15-06
#03-53 to #15-53



TYPE (4)e1

117 sqm | 1259 sqft

Unit: #02-53




LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
- AIRCON CONDENSER
- SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
- NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.

THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)f

116 sqm | 1249 sqft


Units: #03-45 to #16-45
 #03-50 to #16-50*
 #03-51 to #15-51



TYPE (4)f1

116 sqm | 1249 sqft

Units: #02-50*
 #02-51




Note: *Mirror Image

LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
 THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
 FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.




4-BEDROOM

TYPE (4)g

116 sqm | 1249 sqft


Unit: #03-48 to #16-48



TYPE (4)g1

116 sqm | 1249 sqft

Unit: #02-48



LEGEND

- F FRIDGE
- DB DISTRIBUTION BOARD
- W CLOTHES WASHER
- D DRYER
- ST STORAGE CABINET
- WC WATER CLOSET
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- AC AIRCON LEDGE (NON-STRATA AREA)
- PES PRIVATE ENCLOSED SPACE
-  AIRCON CONDENSER
-  SERVICES VOID SPACE (NON-STRATA AREA)
-  RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
-  WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-300MM (EXCLUDED FINISHES)
-  NON-STRUCTURAL WALL

0 1 2 3 4 5M

PRINTING MAY ALTER THE SCALE OF THE DRAWING. PLEASE VERIFY THE SCALE ON THE ABOVE SCALE BAR.
THE BALCONY SHALL NOT BE ENCLOSED. ONLY APPROVED BALCONY SCREENS ARE TO BE USED.
FOR AN ILLUSTRATION OF THE APPROVED BALCONY SCREEN, PLEASE REFER TO PAGE XX OF THIS BROCHURE.

